

Adult and Travel Vaccinations

A healthcare experience specially for
PRUShield customers



On-Site Clinic

Home-Based

Adult and Travel Vaccinations

Available on-site clinic and home-based

Adult Vaccinations		On-site clinic*	Home-based*
Annual Flu Vaccine	According to the National Adult Immunisation Schedule, all adults should have their yearly flu vaccination and especially at-risk individuals, such as seniors aged 65 and older.	\$32.70	\$59.95
Hepatitis A & B Vaccine	Who it is for: All adults aged 19–59 years and adults > 60 years with risk factors for hepatitis B or without identified risk factors but seeking protection	\$109	\$130.80
Pneumococcal Conjugate Vaccine (PCV13) /	Who it is for: <ul style="list-style-type: none">• Elderly aged 65 years old and above.• Adults below 65 years old with conditions such as heart disease or diabetes.• People with low immunity (e.g. under cancer treatment, those with HIV).	\$174.40	\$196.20
Pneumococcal Polysaccharide Vaccine (PPSV23)		\$76.30	\$98.10
Tetanus	Tetanus vaccination is recommended for all babies and children, preteens and teens, and adults.	\$32.70	\$54.50

*Prices listed include GST

Adult and Travel Vaccinations

Available on-site clinic and home-based

Recommended at least 4 - 6 weeks before going overseas

Travel Vaccinations

On-site
clinic*

Home-
based*

Yellow Fever

Recommended for people traveling to places where yellow fever vaccine is compulsory e.g. Angola, Burundi, Cameroon, French Guiana, Gabon, Ghana etc.

\$250.70

NIL

Typhoid Fever

Recommended for people traveling to places where typhoid fever is common, such as South Asia, especially India, Pakistan, or Bangladesh.

\$43.60

\$65.40


Meningococcal Vaccination

For travel to parts of Africa and Saudi Arabia to immunise against meningococcal disease, meningitis and bloodstream infections. Required vaccination for Hajj or Umrah pilgrimages.

\$152.60

\$174.40

**Prices listed include GST*



DA Clinic Locations

DA Clinic @ Anchorvale

351 Anchorvale Road, #01-01
Singapore 540351
Tel: +65 3165 0144

Weekdays:
8.30am-12pm; 1pm-4pm; 6pm-9pm
Weekends/PH: 8.30am-12pm

DA Clinic @ Ang Mo Kio

525 Ang Mo Kio Ave 10, #01-2407
Singapore 560525
Tel: +65 3165 0147

Weekdays/Weekend/PH: 24 hours

DA Clinic @ Bishan

501 Bishan Street 11, #01-374
Singapore 570501
Tel: +65 3165 0140

Weekdays:
8.30am-12pm; 1pm-4pm; 6pm-9pm
Weekends/PH: 8.30am-12pm

DA Clinic @ Bukit Batok

451 Bukit Batok West Ave 6, #01-02
Singapore 650451
Tel: +65 3165 0143

Weekdays:
8.30am-12pm; 1pm-4pm; 6pm-9pm
Weekends/PH: 8.30am-12pm

DA Clinic @ Potong Pasir

51 Upper Serangoon Road, #01-53,
The Poiz Centre, Singapore 347697
Tel: +65 3165 0139

Weekdays:
8.30am-12pm; 1pm-4pm; 6pm-9pm
Saturday: 8.30am-12pm
Sunday/PH: 8.30am-12pm; 6pm-9pm

DA Clinic @ Taman Jurong

Blk 140, Corporation Drive, #01-03
Singapore 610140
Tel: +65 3165 0145

Weekdays:
8.30am-12pm; 1pm-4pm; 6pm-9pm
Saturday: 8.30am-12pm
Sunday/PH: 8.30am-12pm; 6pm-9pm

DA Clinic @ Yishun

18 Yishun Avenue 9, #01-34,
Junction Nine, Singapore 768897
Tel: +65 3158 6928

Weekdays:
8.30am-12pm; 1pm-4pm; 6pm-9pm
Weekends/PH: 8.30am-12pm

DA Clinic @ Simei

248 Simei Street 3, #01-128
Singapore 520248
Tel: +65 3165 0146

Weekdays:
8.30am-12pm; 1pm-4pm; 6pm-9pm
Weekends/PH: 8.30am-12pm

Note, registration may close 30 minutes prior to closing time, depending on the number of patients in line.

Locate us

Useful Information

The following section provides an overview of vaccination booking process and useful information in preparation for vaccinations.

01

Important information

02





Frequently Asked Questions



Important information

On-site clinic and home-based vaccinations





Before Vaccination

-  Visit dranywhr.com/DAATVAC or scan the QR code to sign up for the vaccination.
-  Complete the registration form to sign-up for your appointment.
-  Once submitted you will receive an acknowledgement email.
For home-based vaccination, an additional confirmation email as well as a reminder one day prior to vaccination will be sent.
-  On the day of your appointment, please arrive/be ready at the specified location a few minutes prior to your appointment time.

Book your **vaccination**



During Vaccination



-  Registration and DA app download (if yet to). If you've opted for additional vaccines, payment will be collected during registration.
-  Complete a short health declaration form.
-  Please inform DA nurses if you have any drug or food allergies prior vaccination.
-  Vaccination.



Doctor Anywhere



How to prepare

-  Please present the necessary documents (identification card, passport, staff pass) for verification upon registration.
-  Wear loose or short sleeves that can be rolled up easily, so that health workers have easy access to your arm.

Frequently Asked Questions

Q. Can I choose my preferred appointment time?

Yes, you can select your preferred time slot from the available appointment timings during the vaccination registration process.

Q. Can I change my appointment date after making a booking?

You can change the date and time of your vaccination up to 48 hours prior to your scheduled appointment time.

- Home-based: To request the change, please contact the mobile health team at mobilemed@doctoranywhere.com
- On-site clinic: You can reschedule your appointment by referring to the confirmation email and click on the link provided in the email or directly contact your selected clinic.

Q. Are there any side effects that I should be aware of?

It is normal for you to experience any of the following symptoms:

- Soreness, slight redness, and lump over the injection site (should clear within a few days)
- Slight fever for a day or two

Q. How can I relieve the discomfort of common side effects such as fever, pain, and swelling that may come after a vaccination?

If you experience flu-like symptoms, you can take medication such as paracetamol or ibuprofen. Placing a cold, wet cloth over the injection site will help reduce pain, redness, or swelling.

Q. What signs should prompt me to see the doctor after the vaccination?

Please see a doctor if you experience any of the following:

- When side effects persist for more than a few days.
- A high fever (>38 deg C) or a fever that has persisted for more than 48 hours (2 days) despite taking medication.
- Severe allergic reactions where you experience difficulties in breathing, itchy skin rash, swelling around lips, eyes, and face, weakness, dizziness, or a fast heart rate.

Have more questions? Scan to learn more:



or contact us at support@doctoranywhere.com